

## CE ATTIKTIES DEKLARACIJA

Gamintojas arba jo galiotas atstovas:

**BASE PROTECTION SRL**  
**Via dell'Unione Europea, 61**  
**76121 Barletta**  
**Italija**

pareiškia, kad toliau nurodytas asmens apsaugos priemoni (AAP) modelis:

**Batai „B167“ kategorija S3 SRC**



atitinka direktyvos **89/686/CEE** ir Europos standarto UNI EN ISO 20345:12 reikalavimus ir yra identiškas AAP modelis, nurodytam CE tipo patikrinimo sertifikate Nr. 0161/20515/13, kur išdav :

**A.N.C.I. Servizi srl – Sezione C.I.M.A.C. – c/so Brodolini n. 19 – 27029 Vigevano (PV)**

Barletta, 2013 m. spalio 4 d.

(parašas)  
Inž. Antonio Diterlizzi  
Administracijos pareig nas

## EC DECLARATION OF CONFORMITY

The manufacturer:

**BASE PROTECTION SRL**  
**Via dell'Unione Europea, 61**  
**76121 - Barletta (BT)**

Declares that the PPE described hereafter

Ankle boot - **“B167” - Safety class S3 SRC**



complies with the provisions of European **89/686/CEE**, it satisfies the requirements of the norm **UNI EN ISO 20345:2012** it is identical to the PPE which is the subject of EC certificate N°: **0161/20512/13** issued by:

**A.N.C.I. Servizi srl – Sezione C.I.M.A.C. – c/so Brodolini n. 19 – 27029 Vigevano (PV)**

Barletta, October 4<sup>th</sup> 2013



---

Ing. Antonio Diterlizzi  
Amministratore Delegato



gyvendindama 1989 m. gruodžio 21 d. direktyv 89/686/EEB d l valstybi nari teis s norm ,  
reglamentuojan i asmens apsaugos priemones, ir su ja susijus 1992 m. gruodžio 4 d. statymin  
dekret nr. 475,

**mon ANCI servizi Srl – CIMAC skyrius**  
**ITALIJOS AVALYN S GAMYBOS TAIKOM J MEDŽIAG CENTRAS**  
**Bendrijos identifikacinis numeris 0465**

Išduoda:

**CE SERTIFIKAVIMO LIUDIJIM**  
**B MODULIO – CE TIPO TYRIMO**  
**NR. 0161/20512/13**

tokiai 2 kategorijos asmens apsaugos priemonei

**Batai „B0167“**

Gamintojas (žr. pastabas):

Adresas: **BASE PROTECTION SRL**  
**VIA DELL'UNIONE EUROPEA 61 76121 BARLETTA BT,**  
**ITALIA**

Vigevano, 2013 m. rugs jo 30 d.

Avalyn s CE sertifikavimo vadovas  
Pietro Biglia  
/parašas/

Centro technikos vadovas  
Giuseppe Bellotti  
/parašas/

## 1. Asmens apsaugos priemon s modelio aprašymas

Asmens apsaugos priemon s kategorija: antroji kategorija

Apsaugin avalyn , skirta specialist naudojimui pagal standart UNI EN ISO 20345:2012

Modelis: B – batai

Klasifikacija: I – odin avalyn ir kitos priemon s, išskyrus avalyn , kurios visos dalys pagamintos iš gumos arba iš polimer

Dydžiai: nuo 36 iki 49 (pagal pranc žišk skal )


Formos identifikavimas: U3338

Apdorojimo b das: purškimas

Avalyn je sud ta: metalin piršt apsauga, kodas „SMAL AM“

Nemetalin plokštel pade, kodas „FNF“

Išimamas vidpadingis, kodas „TESSUTO ACCOPPIATO A MATERIALE POLIMERICO ESPANSO“



**2. Modelio atitikties tyrimai ir bandymai (pagal Direktyvos 89/686/CEE 10 straipsn , 768/08/CE B modulio sprendim ) atliekami taikant toliau išvardintus standartus bei 1907/2006/CE reglamento XVII priedo nuostatas.**

- UNI EN ISO 20344:2012 – Asmenin s apsaugos priemon s – Tikrinimo metodai avalynei.
- UNI EN ISO 20345:2012 – Asmenin s apsaugos priemon s – Saugi avalyn .
- UNI EN 12568:2010 – Koj ir p d apsauga – apsaugin s nosel s ir tarp padžio bandymo metodai.

**3. Bandym ir tyrim rezultatai nurodyti šiose bandym ataskaitose:**

C.I.M.A.C.	RP 2013\2049-3-RP-2	2013 m. rugs jo 30 d.
C.I.M.A.C.	RP 2013\2049-3-RP-3	2013 m. rugs jo 30 d.
C.I.M.A.C.	RP 2013\2049-3-RP-4	2013 m. rugs jo 30 d.

**4. Asmenin s apsaugos priemon s savyb s:**

Bat modelis „**B0167**“ atitinka:

pagrindinius saugios avalyn s reikalavimus, nurodytus UNI EN ISO 20345:2012 normos prospekte nr. 2;

ir šiuos papildomus reikalavimus ypatingam naudojimui iš UNI EN ISO 20345:2012 normos 18 prospekto:

(Kategorija S3)

- uždaras kulnas;
- antistatin s savyb s;
- energijos absorbcija kulno srityje;
- viršutinio sluoksnio atsparumas dr gmei;
- neperduriamas padas;
- pado atsparumas angliavandeniliams;
- rupl tas padas.

Avalyn atitinka normos UNI EN ISO 20345:2012 pado atsparumo slydimui SRC reikalavimus.

Avalyn s komponent oda ir/arba audiniai atitinka 1907/2006/CE reglamento XVII priedo nuostatas d l pavojing chemini medžiag (daž ).

Avalyn s metalin s dalys, kurios lie iasi su padu, atitinka 1907/2006/CE reglamento XVII priedo nuostatas d l nikelio išskyrimo.

## 5. Asmenin s apsaugos priemon s modelio žym jimas:

Avalyn s viduje yra nurodyta ši informacija:

- simbolis „CE“
- pagaminimo data (m nuo ir metai)
- prek s kodas: B0167
- normatyvin s nuorodos: UNI EN ISO 20345:2012 (ži r ti pastabas)
- simboliai/piktogramos, atitinkantys suteikiam apsaug ir/arba atitinkam kategorij : S3-SRC (ži r ti pastabas)
- gamintojo prekinis ženklas: „BASE PROTECTION“
- avalyn s dydis.

## 6. Pastabos:

- Gamintoju vadinamas tas, kas prisiima atsakomyb už produkto, apsvartyto direktyvoje, projektavim ir gamyb numatant jo paleidim Bendrijos rink .
- Normatyviniai žym jimai ir simboliai atitinkantys suteikiam apsaug ir/arba atitinkama kategorija turi b ti greta.
- Š CE Atitikimo Sertifikat gamintojas turi saugoti ir, pareikalavus, j pateikti kontrolieriui ar kontroliuojan ios staigos administracijai.
- Šis CE Atitikimo Sertifikatas yra skirtas išskirtinai tik patikrintai darbo saugos priemonei.
- Šis CE Atitikimo Sertifikatas gali b ti perspausdintas, kopijos turinys turi atitikti originalo turin , b ti skaitomas (jeigu sumažinta) ir turi tur ti paryškint užraš „KOPIJA ATITINKANTI ORIGINAL “.
- Gamintojas privalo informuoti „ANCI Servizi Srl – Sezione CIMAC“ apie kiekvien pakeitim , susijus su produktu, apie gaminimo viet /proces ir, jei tai apima (III kategorijos AAP), apie Kokyb s Sistem , jei gali b ti pažeistas produkto atitinkamumas esminiams reikalavimams sveikatai ir saugumui, nurodytiems 89/686/CEE direktyvoje.
- Gamintojas privalo laikyti vis nusiskundim , apie kuriuos žino, d l sertifikuoto modelio atitikimo suderintoms normoms, registr ir j pateikti, jeigu „ANCI Servizi Srl – Sezione CIMAC“ tokio registro pareikalaut .
- Gamintojas privalo priimti ir užfiksuoti reikiamus korekcinius veiksmus esant nusiskundimams arba bet kokiems produkto tr kumams, kurie turi takos atitikimui esminiams sveikatos ir saugumo reikalavimams, nurodytiems CE Atitikimo Sertifikate.

2013/2049-3-CECB-6

**A.N.C.I. Servizi S.r.l.**

Sede legale e amministrativa  
20149 MILANO  
Via Monte Rosa, 21  
Tel. 02.438291  
Fax 02.48005833  
Cap. Soc.: € 10.400 i.v.  
C.F./P.I.: 07199040150  
Reg. Imprese n° 229059  
Trib. di Milano  
R.E.A. n° 1147818



**CIMAC** Centro Italiano  
Materiali di Applicazione  
Calzaturiera

Sede operativa

C.so G. Brodolini, 19 - 27029 VIGEVANO (PV) - Tel. 0381.84722 - Fax 0381.73393

E-mail: ce@cimaonline.com - Internet: www.cimaonline.com

According to the EEC instructions 89/686 dated 21<sup>st</sup> of December 1989, concerning the standardisation of legislation of all member countries with regard to individual protection systems and the relative legislative decree dated 4<sup>th</sup> of December 1992, N° 475,

**A.N.C.I. servizi s.r.l. - C.I.M.A.C. section**  
**CENTRO ITALIANO MATERIALI DI APPLICAZIONE CALZATURIERA**  
**Community Identification N° 0465**

grants:

**EC TYPE-EXAMINATION CERTIFICATE**  
**MODULE B – EC TYPE-EXAMINATION**  
**N° 0161/20512/13**

for the following model of Personal Protective Equipment for II category:

**Ankle safety boot art. "B0167"**

Manufacturer (see notes):

**BASE PROTECTION SRL**

**VIA DELL'UNIONE EUROPEA 61**  
**76121 BARLETTA BT**  
**ITALIA**

Vigevano, 30/09/2013

Responsible of EC certification of PPE  
of the foot and leg  
Pietro Biglia

Technical Responsible  
Giuseppe Bellotti



## 1. Description of personal protective equipment:

PPE Category: second category

Type of PPE: safety footwear for professional use according to UNI EN ISO 20345:2012 standard

Design: B - Ankle boot

Classification: I - Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

Size range: from 36 to 49 (French size)

Identification of last: U3338

Manufacturing process: Injection

The footwear has a:           metallic toecap cod. "SMAL AM"  
  non metallic penetration-resistant insert cod. "FNF"  
  removable insock cod. "TESSUTO ACCOPPIATO A MATERIALE  
  POLIMERICICO ESPANSO"







**2. The tests and the examinations to verify the conformity of the article (in compliance with art. 10 of Directive 89/686/EEC – Decision 768/08/EC Module B) are performed applying the following harmonized standards and the Regulation 1907/2006/EC Annex XVII and subsequent amendments and integrations:**

- UNI EN ISO 20344:2012 – Personal protective equipment – Test methods for footwear.
- UNI EN ISO 20345:2012 – Personal protective equipment – Safety footwear.
- UNI EN 12568:2010 – Foot and leg protectors – Requirements and test methods for toecaps and penetration resistant inserts.

**3. The results of tests and examinations are contained in the following test reports:**

C.I.M.A.C.	RP 2013\2049-3-RP-2	dated	30/09/2013
C.I.M.A.C.	RP 2013\2049-3-RP-3	dated	30/09/2013
C.I.M.A.C.	RP 2013\2049-3-RP-4	dated	30/09/2013

**4. Requirements of the personal protective equipment:**

The ankle safety boot art. "B0167" complies with:

the basic requirements for safety footwear specified in table 2 of UNI EN ISO 20345:2012 standard;

the additional requirements for special applications specified in table 18 of UNI EN ISO 20345:2012 standard:  
(Category S3)

- heel area closed;
- antistatic properties;
- energy absorption of seat region;
- water resistant upper;
- penetration resistance of sole complex;
- fuel oil resistant outsole;
- cleated outsole.

The shoe complies with what prescribed by UNI EN ISO 20345:2012 standard concerning the slip-resistance of the outsole, "SRC" requirement.

The leather and/or textile components of the footwear comply with what prescribed by the Regulation 1907/2006/EC Annex XVII and subsequent amendments and integrations relating to restrictions on the marketing and use of certain dangerous substances and preparations (azocolourants).

The metallic components coming into direct and prolonged contact with the foot comply with what prescribed by the Regulation 1907/2006/EC Annex XVII and subsequent amendments and integrations relating to the release of nickel.



## 5. Marking of the personal protective equipment:

The following information must be reported on the footwear in a durably and indelibly marked:

- the “CE” mark
- date of manufacture (month and year)
- manufacturer’s type designation: B0167
- the number and year of the reference European standard: UNI EN ISO 20345:2012 (see notes)
- the symbols appropriate to the protection provided: S3–SRC (see notes)
- manufacturer’s identification mark: “BASE PROTECTION”
- size.

## 6. Notes:

- The manufacturer is the one assuming the responsibility of design and fabrication of a product included in the Directive, in order to throw it in the market.
- The marking for the number and year of the reference European standard and the symbols appropriate to the protection provided should be adjacent to one another.
- This EC Type-Examination Certificate must be kept by the manufacturer, in order to produce it, on request, for the control body or safety control administration.
- The content of this EC Type-Examination Certificate is referred to the tested personal protective equipment only.
- This EC Type-Examination Certificate may be integrally duplicated; the copy must be faithful, legible (if pint size) and must contain the bold caption “TRUE COPY”.
- The manufacturer should inform ANCI Servizi srl – Sezione CIMAC for any modification to the product, to the place/process of manufacturing and, if relevant (III category PPE), to the quality system if this compromises the conformity of the product to the essential requirements or other provisions of the Directive 89/686/EEC.
- The manufacturer should report all the complaints relating to the conformity of the certified product to the requirements of the reference harmonized standards and supply these reports on request of ANCI Servizi srl – Sezione CIMAC.
- The manufacturer should implement appropriate corrective actions when nonconforming product to the essential requirements of the EC certification are identified.